

From: Richard Rupert/R3/USEPA/US
Sent: 2/3/2012 8:23:17 PM

To: "greg.ham@epa.gov" <greg.ham@epa.gov>; "glen.lapsley@epa.gov" <glen.lapsley@epa.gov>
CC:
Subject: Fw: Dimock - Revised Sampling Plan

Won't you know the first email I read tonight is the revised SAP I have been waiting for.... please delete the earlier one I sent 5 minutes ago...

Richard Rupert
On-Scene Coordinator
U.S.EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514 8773 - MOBILE
rupert.richard@epa.gov

----- Forwarded by Richard Rupert/R3/USEPA/US on 02/03/2012 08:22 PM -----

From: "Graves, Suddha" <Sgraves@TechLawInc.com>
To: Richard Rupert/R3/USEPA/US
Cc: Richard Fetzner/R3/USEPA/US@EPA
Date: 02/03/2012 04:26 PM
Subject: Dimock - Revised Sampling Plan

Rupert,
Please find the revised Sampling and Analysis Plan for the Dimock Residential Groundwater Site. Please let me know if you approve this or if further changes are required.
Thank you,

Suddha Graves
TechLaw, Inc.
2208 Warwood Ave
Wheeling, WV 26003
304-230-1230 (office)
304-830-1441 (cell)
304-232-5006 (fax)